



BIBLIOGRAPHY **of Osa research papers**

Bibliography of Research Papers Written About Conservation and Biodiversity in
the Osa Peninsula, Costa Rica.

Updated 2023

Table of Contents

<i>Animal Behavior</i>	3
<i>Forests/Plants</i>	3
<i>Freshwater Ecosystem</i>	5
<i>Geology/Chemistry/Climate</i>	9
<i>Biodiversity: Animal Kingdom</i>	12
<i>Management of Protected Areas</i>	22
<i>Sustainable Development in the Osa</i>	23

Animal Behavior

"Protection while sleeping." (1985). *International Wildlife*. Vol. 15, Issue 6, pp12.

Doherty C, Laidre M. (2022). Individualism versus collective movement during travel. *Scientific Reports*. 12. 7508. 10.1038/s41598-022-11469-1.

Doherty C, Laidre M. (2023). Doors to the Homes: Signal Potential of Red Coloration of Claws in Social Hermit Crabs. *Integrative Organismal Biology*. 5.

Krieger J, Hörnig M, Laidre M. (2020). Shells as 'extended architecture': to escape isolation, social hermit crabs choose shells with the right external architecture. *Animal Cognition*. 23.

Laidre M, Johnstone R (2013). Animal signals. *Current biology : CB*. 23. R829-33.

Laidre M. (2021). Animal architecture. *Current Biology*. 31. R1458-R1464. 10.1016/j.cub.2021.09.082.

Laidre M. (2021). Social conquest of land: Sea-to-land changes in shell architecture and body morphology, with consequences for social evolution. *Arthropod Structure & Development*. 63. 101064. 10.1016/j.asd.2021.101064.

Laidre M. (2021). The Architecture of Cooperation Among Non-kin: Coalitions to Move Up in Nature's Housing Market. *Frontiers in Ecology and Evolution*. 9. 10.3389/fevo.2021.766342.

Steele E, Laidre M. (2023). Group orientation and social order versus disorder: Perspective of outsiders toward experimental chains of social hermit crabs. *Ethology*. 129. 10.1111/eth.13372.

Steele E, Laidre M. (2023). Wild social behavior differs following experimental loss of vision in social hermit crabs. *The Science of Nature*. 110. 10.1007/s00114-023-01847-8.

Forests/Plants

Armbruster SW (1988). "A New Species, Section, and Synopsis of *Dalechampia* (Euphorbiaceae) from Costa Rica." *Systematic Botany*, Vol. 13, No. 3, pp. 303-312.

Avalos, G., D. Salazar, et al. (2005). "Stilt root structure in the neotropical palms *Iriartea deltoidea* and *Socratea exorrhiza*." *Biotropica* **37**(1): 445-453.

Balzotti, C.S., Asner, G.P., Taylor, P.G., Cole, R., Osborne, B.B., Cleveland, C.C., Porder, S. and Townsend, A.R., (2017). "Topographic distributions of emergent

trees in tropical forests of the Osa Peninsula, Costa Rica." *Ecography*, 40(7), pp.829-839.

Beck, H. (2006). "A review of peccary-palm interactions and their ecological ramifications across the Neotropics." *Journal Of Mammalogy* **87**(3): 519-530.

Cornejo, X., Mori, S.A., Aguilar, R., Stevens, H. and Douwes, F., (2012). "Phytogeography of the trees of the Osa Peninsula, Costa Rica." *Brittonia*, 64, pp.76-101.

Keller, A.B., Reed, S.C., Townsend, A.R. and Cleveland, C.C., (2013). "Effects of canopy tree species on belowground biogeochemistry in a lowland wet tropical forest." *Soil Biology and Biochemistry*, 58, pp.61-69.

Kernan C, Fowler N (1995). "Differential Substrate Use by Epiphytes in Corcovado National Park, Costa Rica: A Source of Guild Structure." *The Journal of Ecology*, Vol. 83, No. 1, pp. 65-73.

King, D. A. (1991). "The Allometry of Trees in Temperate and Tropical Forests." *Research & Exploration* **7**(3): 342-351.

Ley-Lopez, J.M., Wawrzyniak, M.K., Chacon-Madrigal, E. and Chmielarz, P., (2023). "Seed traits and tropical arboreal species conservation: a case study of a highly diverse tropical humid forest region in Southern Costa Rica." *Biodiversity and Conservation*, pp.1-18.

Lizano, O. G., J. Amador, et al. (2001). "Remote sensing for characterization of Central American mangroves." *Revista De Biologia Tropical* **49**: 331-340.

Mayfield MM, Boni MF, Daily GC, Ackerly D (2005). "Species and functional diversity of native and human-dominated plant communities." *Ecology*: Vol. 86, No. 9 pp.2365–2372.

Mayfield MM, Ackerly D, Daily GC (2006). "The diversity and conservation of plant reproductive and dispersal functional traits in human-dominated tropical landscapes." *Journal of Ecology*: Vol. 94, No. 3, pp. 522–536.

McDade LA, Kinsman S (1980). "The Impact of Floral Parasitism in Two Neotropical Hummingbird-Pollinated Plant Species." *Evolution*, Vol. 4, No. 5, pp. 944-958.

Richards P, Williamson GB, (1975). "Treefalls and Patterns of Understory Species in a Wet Lowland Tropical Forest." *Ecology*, Vol. 56, No. 5, pp. 1226-1229.

Rosero B.L., Maldonado U.T., Bonilla C.R. "Forest and population at Península de Osa, Costa Rica." *Universidad de Costa Rica*.

Salazar, M.S.M., Vílchez, B., Chazdon, R.L., Gutiérrez, M.O., Malavasi, E.O. and Bonilla, M.G., (2012). "Diversidad y estructura horizontal en los bosques tropicales del Corredor Biológico de Osa, Costa Rica." *Revista Forestal Mesoamericana Kurú*, 9(23), pp.19-28.

SanchezAzoifeifa GA, Rivard B, Calvo J, Moorthy I (2002). "Dynamics of Tropical Deforestation around National Parks: Remote Sensing of Forest Change on the Osa Peninsula of Costa Rica." *Mountain Research and Development*: Vol. 22, No. 4 pp. 352–358.

SánchezAzoifeifa GA, Harriss RC, Skole DL (2001). "Deforestation in Costa Rica: A Quantitative Analysis Using Remote Sensing Imagery." *Biotropica*: Vol. 33, No.3, pp. 378–384.

Sandor, M.E. and Chazdon, R.L., (2014). "Remnant trees affect species composition but not structure of tropical second-growth forest." *PloS One*, 9(1), p.e83284.

Snow AA (1982). "Pollination intensity and potential seed set in *Passiflora vitifolia*." *Oecologia*, Vol. 55, No. 2, pp.231-237.

Stace CA (1995). "Two New Species of Combretaceae from Puntarenas, Costa Rica." *Novon*, Vol. 5, No. 1, pp. 106-108.

Taylor P., Asner, G., Dahlin, K., Anderson, C., Knapp, D., Martin, R., Mascaro, J., Chazdon, R., Cole, R., Wanek, W. and Hofhansl, F., (2015). "Landscape-scale controls on aboveground forest carbon stocks on the Osa Peninsula, Costa Rica." *PLoS One*, 10(6), p.e0126748.

Wanek, W. and K. Portl (2005). "Phyllosphere nitrogen relations: reciprocal transfer of nitrogen between epiphyllous liverworts and host plants in the understorey of a lowland tropical wet forest in Costa Rica." *New Phytologist* **166**(2): 577-588.

Weintraub, S. R., P. G. Taylor, S. Porder, C. C. Cleveland, G. P. Asner, and A. R. Townsend (2015). "Topographic controls on soil nitrogen availability in a lowland tropical forest." *Ecology* 96: 1561-1574.

Freshwater Ecosystem

Acevedo A, Smultea MA (1995). "First Records of Humpback Whales Including Calves at Golfo Dulce and Isla del Coco, Costa Rica, Suggesting Geographical Overlap of Northern and Southern Hemisphere Populations." *Marine Mammal Science*, Vol. 11, No. 4, pp. 554-560.

Acevedo, A. and S. Burkhart (1998). "Seasonal distribution of bottlenose (*Tursiops truncatus*) and pantropical Spotted (*Stenella attenuata*) dolphins (Cetacea: Delphinidae) in Golfo Dulce, Costa Rica." *Revista De Biologia Tropical* **46**: 91101.

Brumberg H., Beirne C., North B.E., Zambrano A.M.A., Zambrano S.L.A., Gil C.A.Q., Gutierrez B.L., Eplee R., Whitworth A. (2021). "Riparian buffer length is more influential than width on river water quality: A case study in southern Costa Rica." *Journal of Environmental Management*, 286, 112132.

Bussing, W. A. and M. I. Lopez (1996). "Fishes collected during the Victor Hensen Costa Rica expedition (1993/1994)." *Revista De Biologia Tropical* **44**: 183186.

Castro, K. and R. Vargas (1996). "Annotated list of species of marine crustaceans (Decapoda and Stomatopoda) from Golfo Dulce, Costa Rica." *Revista De Biologia Tropical* **44**: 8795.

Chicas, F. A. (2001). "Juvenile fish in a tide pool, TerrabaSierpe Forest Reserve, Puntarenas, Costa Rica." *Revista De Biologia Tropical* **49**: 307314.

Constantz, G. D., W. A. Bussing, et al. (1981). "Freshwater Fish Of Corcovado National Park, Costa Rica." *Proceedings of the Academy Of Natural Sciences of Philadelphia* **133**: 1519.

Cordoba, R. and J. A. Vargas (1996). "Temperature, salinity, oxygen, and nutrient profiles at a 200 m deep station in Golfo Dulce, Pacific coast of Costa Rica." *Revista De Biologia Tropical* **44**: 233236.

Cortes J. "Coral Reefs of Golfo Dulce, Costa Rica: distribution and community Structure." Dept of Biology, U of Hawaii.

Sallstrom S., Nygren K., Lindquist I. "Selective food choice and distribution of mouthless crabs (*Gecarcinus quadratus*) in Corcovado National Park, Costa Rica."

Cortes, J. and C. E. Jimenez (1996). "Costal marine environments of Parque Nacional Corcovado, Puntarenas, Costa Rica." *Revista De Biologia Tropical* **44**: 3540.

Cortes, J., I. G. Macintyre, et al. (1994). "Holocene Growth History of an Eastern Pacific Fringing Reef, Puntalotes, Costa Rica." *Coral Reefs* **13**(2): 6573.

Cruz, R. A. (1996). "Annotated checklist of marine molluscs collected during the R. V. Victor Hensen Costa Rica Expedition 1993/1994." *Revista De Biologia Tropical* **44**: 5967.

Dalsgaard, T., D. E. Canfield, et al. (2003). "N₂ production by the anammox reaction in the anoxic water column of Golfo Dulce, Costa Rica." *Nature* **422**(6932): 606608.

Dean, H. K. (1996). "Polychaete worms (Annelida) collected in Golfo Dulce, during the Victor Hensen Costa Rica expedition (1993/1994)." *Revista De Biología Tropical* **44**: 8186.

Dean, H. K. (2001). "Capitellidae (Annelida: Polychaeta) from the Pacific Coast of Costa Rica." *Revista De Biología Tropical* **49**: 6984.

Dean, H. K. (2004). "Marine biodiversity of Costa Rica: Class Polychaeta (Annelida)." *Revista De Biología Tropical* **52**: 131181.

Friedlander, A.M., Ballesteros, E., Breedy, O., Naranjo-Elizondo, B., Hernández, N., Salinas-de-León, P., Sala, E. and Cortés, J., (2022). "Nearshore marine biodiversity of Osa Peninsula, Costa Rica: Where the ocean meets the rainforest." *Plos One*, 17(7), p.e0271731.

Gutierrez, A. A. (1996). "Checklist of marine mammals of Golfo Dulce and Cocos Island, Costa Rica." *Revista De Biología Tropical* **44**(2B): 933934.

Herrero, L., A. Palacios, et al. (1999). "Nondetection of enterovirus in *Anadara tuberculosa* (Bivalvia: Arcidae) by chemical pollution in the Pacific of Costa Rica." *Revista De Biología Tropical* **47**(3): 419427.

Hoisæter, T. (1998). "Preliminary checklist of the marine, shelled gastropods (Mollusca) of Golfo Dulce, on the Pacific coast of Costa Rica." *Revista De Biología Tropical* **46**: 263270.

Hossfeld, B. (1996). "Distribution and biomass of arrow worms (Chaetognatha) in Golfo de Nicoya and Golfo Dulce, Costa Rica." *Revista De Biología Tropical* **44**: 157172.

Jesse, S. (1996). "Demersal crustacean assemblages along the Pacific coast of Costa Rica: A quantitative and multivariate assessment based on the Victor Hensen Costa Rica expedition (1993/1994)." *Revista De Biología Tropical* **44**: 115134.

LeonMorales, R. and J. A. Vargas (1998). "Macroinfauna of a tropical fjordlike embayment: Golfo Dulce, Costa Rica." *Revista De Biología Tropical* **46**: 8190.

Molina Urena, H. (1996). "Ichthyoplankton assemblages in the gulf of Nicoya and Golfo Dulce embayments, Pacific coast of Costa Rica." *Revista De Biología Tropical* **44**:173182.

MoralesRamirez, A. (2001). "Costa Rica's marine biodiversity, microcrustaceans: Subclass Copepoda (Crustacea: Maxillopoda)." *Revista De Biología Tropical* **49**: 115133.

MoralesRamirez, A. (1996). "Checklist of copepods from Gulf of Nicoya, Coronado Bay and Golfo Dulce, Pacific coast of Costa Rica, with comments on their distribution." *Revista De Biología Tropical* **44**: 103113.

Nicholsdriscoll, J. (1976). "Benthic Invertebrate Communities in Golfo Dulce, Costa Rica, an Anoxic Basin." *Revista De Biología Tropical* **24**(2): 281297.

Pacheco-Polanco, J.D., Correa, L.O., Fernandez, M. and Herra-Miranda, D., (2019). "Spatial analysis on the occurrence of inshore and offshore bottlenose dolphins (*Tursiops truncatus*) in Osa Peninsula waters and Golfo Dulce, Costa Rica." *J. Cetacean Res. Manage.*, 20(1), pp.1-11.

Pacheco-Polanco, J.D., Herra-Miranda, D., Oviedo-Correa, L., Quirós-Pereira, W. and Figgenger, C., (2015). "Whale shark, *Rhincodon typus* (Orectolobiforms: Rhincodontidae) feeding aggregations in Golfo Dulce, Osa Peninsula, Costa Rica." *Revista de Biología Tropical*, 63, pp.299-306.

Pardo, P. C. (1998). "Diurnal and seasonal behavior patterns of *Tursiops truncatus* and *Stenella attenuata* (Mammalia: Delphinidae) in Golfo Dulce, Costa Rica." *Revista De Biología Tropical* **46**: 103110.

QuesadaAlpizar, M. A. and A. MoralesRamirez (2004). "Behavior of the water mass in Golfo Dulce (Costa Rica) during El Niño of 1997-1998." *Revista De Biología Tropical* **52**: 95103.

Schneider DW, Lyons J (1993). "Dynamics of upstream migration in two species of tropical freshwater snails." *Journal of the North American Benthological Society*: Vol. 12, No. 1, pp. 3–16.

Schneider D.W., Lyons J. "Factors influencing fish distribution and community structure in a small coastal river in southwestern Costa Rica." Center for Limnology, University of Wisconsin, Madison.

Segura, A. and J. A. Campos (1990). "Postcapture Losses of the Artisanal Fisheries of Golfo Dulce and Their Extrapolation to the Pacific of Costa Rica." *Revista De Biología Tropical* **38**(2B): 425429.

Thamdrup, B., D. E. Canfield, et al. (1996). "A biogeochemical survey of the anoxic basin Golfo Dulce, Costa Rica." *Revista De Biología Tropical* **44**: 1933.

Umana, G. (1998). "Characterization of some Golfo Dulce drainage basin rivers (Costa Rica)." *Revista De Biología Tropical* **46**: 125135.

UNEPWCMC (2006). *In the front line: shoreline protection and other ecosystem services from mangroves and coral reefs*. Cambridge, UK, UNEPWCMC: 33 pp.

Vargas, J. A. (1996). "Pacific coastal ecosystems of Costa Rica with emphasis on the Golfo Dulce and adjacent areas: A synoptic view based on the R.V. Victor Hensen expedition 1993/94 and previous studies. Preface." *Revista De Biología Tropical* **44**: U1U4.

Vargas, R., S. Jesse, et al. (1996). "Checklist of crustaceans (Decapoda and stomatopoda), collected during the Victor Hensen Costa Rica expedition (1993/1994)." *Revista De Biología Tropical* **44**: 97102.

vonWangelin, M. and M. Wolff (1996). "Comparative biomass spectra and species composition of the zooplankton communities in Golfo Dulce and Golfo de Nicoya, Pacific coast of Costa Rica." *Revista De Biología Tropical* **44**: 135155.

Wassersug R (1971). "On the Comparative Palatability of Some Dry Season Tadpoles from Costa Rica." *American Midland Naturalist*, pp. 101109.

Winemiller K.O (1983). "An Introduction to the Freshwater Fish Communities of Corcovado National Park, Costa Rica." Dept. of Zoology, U of Texas, Austin.

Wolff, M. (1996). "Demersal fish assemblages along the Pacific coast of Costa Rica: A quantitative and multivariate assessment based on the Victor Hensen Costa Rica expedition (1993/1994)." *Revista De Biología Tropical* **44**: 187214.

Wolff, M., H. J. Hartmann, et al. (1996). "A pilot trophic model for Golfo Dulce, a fjord like tropical embayment, Costa Rica." *Revista De Biología Tropical* **44**: 215231.

Wolff, M., V. Koch, et al. (1998). "A trophic flow model of the Golfo de Nicoya, Costa Rica." *Revista De Biología Tropical* **46**: 6379.

Zoo, P. and Center, J.C.M.C., (2012). "Tropical fiord habitat as a year-round resting, breeding, and feeding ground for East Pacific green sea turtles (*Chelonia mydas*) off Costa Rica." *Herpetological Review*, 43(4), pp.539-541.

Geology/Chemistry/Climate

Bern CR (2006). "Influence of tectonics and atmospheric deposition on nutrient sources to tropical forests of the Osa Peninsula, Costa Rica." Dissertation.

University of Colorado, Boulder.

Berrange JP, Thorpe RS (1988). "The geology, geochemistry and emplacement of the Cretaceous-Tertiary ophiolitic Nicoya Complex of the Osa Peninsula, southern Costa Rica.". *Tectonophysics*: Vol. 147, No. 34, pp. 193-220.

Bills GF, Polishook JD (1994). "Abundance and Diversity of Microfungi in Leaf Litter of a Lowland Rain Forest in Costa Rica." *Mycologia*, Vol. 86, No.2, pp. 187-198.

Bossey, P. and F. Strebl (2001). "Radioactive contamination of tropical rainforest soils in Southern Costa Rica." *Journal of Environmental Radioactivity* **53**(2): 199-213.

Cleveland CC, Townsend AR. "Nutrient additions to a tropical rain forest drive substantial soil carbon dioxide losses to the atmosphere." *Dept of Ecology and Evolutionary Biology, U of Colorado*.

Cleveland, C. C., A. R. Townsend, et al. (2003). "Soil microbial dynamics and biogeochemistry in tropical forests and pastures, southwestern Costa Rica." *Ecological Applications* **13** (2): 314-326.

DeShon HR (2004). "Seismogenic zone structure along the Middle America subduction zone, Costa Rica." *Dissertation. University of California, Santa Cruz*.

Enquist, CAF (2002). "Predicted regional impacts of climate change on the geographical distribution and diversity of tropical forests in Costa Rica." *Journal of Biogeography*: Vol. 29 No. 4, pp. 519-534.

GarciaCespedes, J., J. AcunaGonzalez, et al. (2004). "Trace metals in coastal sediments of Costa Rica." *Revista De Biologia Tropical* **52**: 51-60.

Gardner, T.W., Fisher, D.M., Morell, K.D. and Cupper, M.L., (2013). "Upper-plate deformation in response to flat slab subduction inboard of the aseismic Cocos Ridge, Osa Peninsula, Costa Rica." *Lithosphere*, 5(3), pp.247-264.

Hebbeln, D., D. Beese, et al. (1996). "Morphology and sediment structures in Golfo Dulce, Costa Rica." *Revista De Biologia Tropical* **44**: 110.

Hebbeln, D. and J. Cortes (2001). "Sedimentation in a tropical fiord: Golfo Dulce, Costa Rica." *GeoMarine Letters* **20**(3): 142-148.

Husen S, Quintero R, Kissling E, Hacker, B (2003). "Subduction zone structure and magmatic processes beneath Costa Rica constrained by local earthquake tomography and petrological modeling." *Geophysical Journal International*: Vol. 155, No. 1, pp. 11-32.

Jimenez, C., J. Cortes, et al. (2001). "Coral bleaching and mortality associated with the 1997/98 El Niño in an upwelling environment in the Eastern Pacific (Gulf of Papagayo, Costa Rica)." *Bulletin of Marine Science* **69**(1): 151-169.

Jimenez-Elizondo A (2004). "The politics of participation in a biodiversity conservation project: Analysis of a biological corridor project in Osa Peninsula, Costa Rica." Dissertation. Michigan State University.

Krishnaswamy, J., P. N. Halpin, et al. (2001). "Dynamics of sediment discharge in relation to land use and hydroclimatology in a humid tropical watershed in Costa Rica." *Journal of Hydrology* **253**(14): 91-109.

Krishnaswamy, J., D. D. Richter, et al. (2001). "Spatial patterns of suspended sediment yields in a humid tropical watershed in Costa Rica." *Hydrological Processes* **15**(12): 2237-2257.

Longino JT (1986). "A Negative Correlation between Growth and Rainfall in a Tropical Liana." *Biotropica*, Vol. 18, No. 3, pp. 195-200.

Madrigal RG (1977). "Terrazas marinas y tectonismo en península de Osa, Costa Rica." *Revista Geográfica (Mexico)*: Issue 8687, pp. 161 – 166.

Meschede, Zweigel, Frisch, Völker (1999). "Mélange formation by subduction erosion: the case of the Osa mélange in southern Costa Rica." *Terra Nova*, Vol. 11 Issue 4 pp. 141.

Michels, A., G. Umana, et al. (2006). "Epilithic diatom assemblages in rivers draining into Golfo Dulce (Costa Rica) and their relationship to water chemistry, habitat characteristics and land use." *Archiv Fur Hydrobiologie* **165**(2): 167-190.

Namiki, Y., Tsutsumi, A., Ujiie, K. and Kameda, J., (2014). "Frictional properties of sediments entering the Costa Rica subduction zone offshore the Osa Peninsula: implications for fault slip in shallow subduction zones." *Earth, Planets and Space*, **66**(1), pp.1-8.

Osborne, B.B., Nasto, M.K., Asner, G.P., Balzotti, C.S., Cleveland, C.C., Sullivan, B.W., Taylor, P.G., Townsend, A.R. and Porder, S., (2017). "Climate, topography, and canopy chemistry exert hierarchical control over soil N cycling in a Neotropical lowland forest." *Ecosystems*, **20**, pp.1089-1103.

Richards, F. A., J. J. Anderson, et al. (1971). "Chemical and Physical Observations in Golfo Dulce, an Anoxic Basin on Pacific Coast of Costa Rica." *Limnology and Oceanography* **16**(1): 43-50.

Sak, PB, Gardner, TW, Fisher, DM (2001). "Preservation of oxygen isotope Stage 3 terrace deposits along the Pacific Coast of Costa Rica." From the Geological Society of America, 2001 annual meeting, Boston, MA, United States, Nov. 110, 2001

Sanchez JD, Gardner TW (2002). "Late Holocene marine terrace uplift rates at the thrust front of the Fila Costena, Pacific Coast, Costa Rica." From the Geological Society of America, SouthCentral Section, 36th annual meeting, Alpine, TX, United States, Apr. 1112, 2002.

Spongberg, A. L. (2004). "PCB contamination in marine sediments from Golfo Dulce, Pacific coast of Costa Rica." *Revista De Biologia Tropical* **52**: 2332.

Spongberg, A. L. (2004). "PCB contamination in surface sediments in the coastal waters of Costa Rica." *Revista De Biologia Tropical* **52**: 110.

Spongberg, A. L. and P. Davis (1998). "Organochlorinated pesticide contaminants in Golfo Dulce, Costa Rica." *Revista De Biologia Tropical* **46**: 111124.

Vannucchi P, Fisher DM, Bier S, Gardner TW. (2006). "From seamount accretion to tectonic erosion: Formation of Osa Melange and the effects of Cocos Ridge subduction in southern Costa Rica." *Tectonics*: Vol. 25, No. 2.

Walther, CHE (2003). "The crustal structure of the Cocos ridge off Costa Rica." *Journal of Geophysical Research. B. Solid Earth*: Vol. 108, no. B3.

Biodiversity: Animal Kingdom

Altrichter M, Almeida R (2002). "Exploitation of white-lipped peccaries *Tayassu pecari* (Artiodactyla: Tayassuidae) on the Osa Peninsula, Costa Rica." *Oryx*: Vol. 36, No. 2, pp. 126–132.

Altrichter, M., E. Carrillo, et al. (2001). "White-lipped peccary (*Tayassu pecari*, Artiodactyla: Tayassuidae) diet and fruit availability in a Costa Rican rain forest." *Revista De Biologia Tropical* **49**(34):11831192.

Altrichter, M., C. Drews, et al. (2001). "Sex ratio and breeding of white-lipped peccaries *Tayassu pecari* (Artiodactyla: Tayassuidae) in a Costa Rican rain forest." *Revista De Biologia Tropical* **49**(1): 383389.

Altrichter, M., C. Drews, et al. (2002). "Time budget of the white-lipped peccary (*Tayassu pecari*) in a Costa Rican Rain Forest." *Biotropica* **34**(1): 136143.

Altrichter, M., J. C. Saenz, et al. (2000). "Seasonal diet of *Tayassu pecari* (Artiodactyla: Tayassuidae) in Corcovado National Park, Costa Rica." *Revista De Biologia Tropical* **48**(23): 689701.

- Anderson, R. S. (2003). "Neotropical dryophthoridae: Redescription of the genus *Melchus* Lacordaire with description of *Daisya* Anderson, new genus, and seven new species (Coleoptera: Curculionoidea)." *Coleopterists Bulletin* **57**(4): 413-431.
- Anderson RS (2005). "New Oxycoryninae from Central and South America: phylogenetic and biogeographical implications (*Coleoptera: Belidae*)." *Systematic Entomology*: Vol. 30, No. 4, pp. 644–652.
- Ashe, J. S. (2002). "Allodinopsis, new genus of deinopsine aleocharine from Central America, and a new species of *Metadeinopsis* Klimaszewski 1979 (Staphylinidae: Aleocharinae: Deinopsini)." *Journal of the Kansas Entomological Society* **75**(2): 617-2.
- Barquero-Edge, P., (2013). "Trends in marine turtle nesting and egg predation on the Osa Peninsula, Costa Rica." *Marine Turtle Newsletter*, 138, pp.7-10.
- Barquero, M. D. and B. Hilje (2005). "House Wren preys on introduced gecko in Costa Rica." *Wilson Bulletin* **117**(2): 204-205.
- Benavides, A. M. S. and R. B. Carrion (2001). "Abundance and morphometry of *Anadartuberculosa* and *Anadartasimilis* (Mollusca: bivalvia) in the Purruja Mangrove Swamp, Golfo Dulce, Costa Rica." *Revista De Biología Tropical* **49**: 315-320.
- Benson WW, Emmel TC (1973). "Demography of Gregariously Roosting Populations of the Nymphaline Butterfly *Marpesia berania* in Costa Rica." *Ecology*, Vol.54, No. 2, pp. 326-335.
- Bessesen BL and G Saborío-R. 2009. First report of vesper rat, *Nyctomys sumicrasti* (Rodentia: Muridae) feeding on palm fruits. *Brenesia* 71/72:73—76
- Bessesen BL and G Saborío-R. 2012. Tropical fiord habitat as a year-round resting, breeding, and feeding ground for East Pacific green sea turtles (*Chelonia mydas*) off Costa Rica. *Herpetological Review* 43:539—541
- Bessesen BL and GJ Galbreath. 2017. A new subspecies of sea snake, *Hydrophis platurus xanthos*, from Golfo Dulce, Costa Rica. *ZooKeys* 686: 109—123.
- Bessesen BL and M González-Suárez. 2021. The value and limitations of local ecological knowledge: Longitudinal and retrospective assessment of flagship species in Golfo Dulce, Costa Rica. *People and Nature* 3:627—638.
- Bessesen BL and M González-Suárez. 2022. Safe from sunburn: The divergent diel pattern of a *Hydrophis* sea snake. *Ecology and Evolution* 12(1): e8436.

Bessesen BL, L Oviedo, LB Hart, D Herra-Miranda, JD Pacheco-Polanco, L Baker, G Saborío-Rodríguez, L Bermúdez-Villapol and A Acevedo-Gutiérrez. 2014. Lacaziosis-like disease among bottlenose dolphins *Tursiops truncatus* photographed in Golfo Dulce, Costa Rica. *Diseases of Aquatic Organisms* 107:173—180

Bessesen BL, Garrido-Cayul C, González-Suárez M. 2023. Habitat suitability and area of occupancy defined for rare New World sea snake. *Conservation Science and Practice* 5(1): e12865.

Bessesen BL, M González-Suárez, D Herra-Miranda and L Oviedo. 2021. *Hydrophis platurus xanthos* (Golfo Dulce Yellow Seasnake): Harassment by dolphins. *Natural History Note. Herpetological Review* 52(2): 425—426.

Bessesen BL, Oedekoven CS, Galbreath GJ, González-Suárez M. 2022. Population abundance and density estimates for Costa Rica's endemic sea snake, *Hydrophis platurus xanthos*. *Frontiers in Marine Science* 9: 924966.

Bessesen BL. 2012. Geospatial and behavioral observations of a unique xanthic colony of pelagic sea snakes, *Pelamis platurus*, residing in Golfo Dulce, Costa Rica. *Herpetological Review* 43:22—26

Bessesen BL. 2015. Occurrence and distribution patterns of several marine vertebrates in Golfo Dulce, Costa Rica. *Revista de Biología Tropical* 63(Supl.1):261—272

Boinski S (1988). "Sex differences in the foraging behavior of squirrel monkeys in a seasonal habitat." *Behavioral Ecology and Sociobiology*, Vol. 23, No. 3, pp. 177-186.

Boinski S, Scott PE (1988). "Association of Birds with Monkeys in Costa Rica." *Biotropica*, Vol. 20, No. 2, pp.136-143.

Boinski, S., E. Ehmke, et al. (2005). "Dispersal patterns among three species of squirrel monkeys (*Saimiri oerstedii*, *S. boliviensis* and *S. sciureus*): II. Within species and local variation." *Behaviour* **142**: 633-677.

Boinski, S. and L. Sirot (1997). "Uncertain conservation status of squirrel monkeys in Costa Rica, *Saimiri oerstedii oerstedii* and *Saimiri oerstedii citrinellus*." *Folia Primatologica* **68**(35):181-193.

Boinski, S., K. Sughrue, et al. (2002). "An expanded test of the ecological model of primate social evolution: Competitive regimes and female bonding in three species of squirrel monkeys (*Saimiri oerstedii*, *S. boliviensis*, and *S. sciureus*)." *Behaviour* **139**: 227-261.

Bolanos, J. R., J. Sanchez, et al. (1997). "Inventory and population structure of crocodylids in three areas of Costa Rica." *Revista De Biologia Tropical* **45**(1A): 283287.

Bowen Jones E (2000). "Description of Two New Species of Tettigoniidae from Corcovado National Park, Costa Rica: *Rossophyllum maculosum* (Phaneropterinae) and *Idiarthron cerosum* (Pseudophyllinae)." *Journal of Orthoptera Research*, No. 9, pp. 2125.

Brown, S.K., Kaburu, S.S. and Besenyei, L., (2021). "The influences of micro-and macro-habitat variables on tent-roosting in *Dermanura watsoni* on the Osa Peninsula, Costa Rica." *Acta Chiropterologica*, 23(1), pp.207-213.

Campos, J. A., M. L. Fournier, et al. (1990). "An Estimate Of The Population Of *Anadara Tuberculosa* (Bivalvia, Arcidae) In SierpeTerraba, Costa Rica." *Revista De Biologia Tropical* **38**(2B): 477480.

Carithers, T. P. (1997). "The effects of seasonality on the demographics of *Microstigmus comes* (Hymenoptera, Sphecidae) in Costa Rica." *Journal of the Kansas Entomological Society* **70**(2): 146148.

Carrillo, E., J. C. Saenz, et al. (2002). "Movements and activities of white-lipped peccaries in Corcovado National Park, Costa Rica." *Biological Conservation* **108**(3): 317324.

Carrillo, E., G. Wong, et al. (2000). "Monitoring mammal populations in Costa Rican protected areas under different hunting restrictions." *Conservation Biology* **14**(6): 15801591.

Chaverri, G. and T. H. Kunz (2006). "Roosting ecology of the tentroosting bat *Artibeus watsoni* (Chiroptera: Phyllostomidae) in southwestern Costa Rica." *Biotropica***38**(1): 7784.

Chinchilla, F. A. (1997). "Diets of *Panthera onca*, *Felis concolor* and *Felis pardalis* (Cartivora: Felidae) in Parque Nacional Corcovado, Costa Rica." *Revista De Biologia Tropical* **45**(3): 12231229.

Dawson G.A., Lang JW (1973). "The Functional Significance of Nest Building by a Neotropical Rodent (*Sigmodon hispidus*)." *American Midland Naturalist*, Vol. 89, No. 2, pp. 503509.

Deleva, S.; Chaverri, G. (2018). "Diversity and Conservation of Cave-Dwelling Bats in the Brunca Region of Costa Rica." *Diversity*, 10, 43.

- DeMattia, E. A., L. M. Curran, et al. (2004). "Effects of small rodents and large mammals on Neotropical seeds." *Ecology* **85**(8): 21612170.
- DeMattia, E. A., B. J. Rathcke, et al. (2006). "Effects of small rodent and large mammal exclusion on seedling recruitment in Costa Rica." *Biotropica* **38**(2): 196202.
- Devries, PJ (1978). "An Annotated List of the Butterflies of Parque Nacional Corcovado Costa Rica During the Dry Season." *Brenesia*: Vol. 15, No. 15, pp. 47–56.
- Drake DL (1996). "Marine turtle nesting, nest predation, hatch frequency, and nesting seasonality on the Osa Peninsula." *Chelonian Conservation Biology*.
- Duckett CN. "A new species of flea beetle, genus *Pedilia* Clark (Coleoptera: Chrysomelidae: Galerucinae) from Osa Peninsula, Costa Rica." Dept of Entomology, Smithsonian Institution.
- Erwin, T. L. (2004). "The beetle family Carabidae of Costa Rica: The genera of the Cryptobatida group of subtribe Agrina, tribe Lebiini, with new species and notes on their way of life (Insecta: Coleoptera)." *Zootaxa*(662): 154.
- Foerster, C. R. and C. Vaughan (2002). "Home range, habitat use, and activity of Baird's tapir in Costa Rica." *Biotropica* **34**(3): 423437.
- Foerster, S. H., J. E. Bailey, et al. (2000). "Butorphanol/xylazine/ketamine immobilization of free ranging Baird's tapirs in Costa Rica." *Journal Of Wildlife Diseases* **36**(2): 335341.
- Fuller, T. K., E. Carrillo, et al. (2002). "Survival of protected white-lipped peccaries in Costa Rica." *Canadian Journal of Zoology/Revue Canadienne De Zoologie* **80**(3):586589.
- Gilbert, G. S., N. Talaro, et al. (1997). "Multiplescale spatial distribution of the fungal epiphyll *Scolecopeltidium* on *Trichilia* spp. in two lowland moist tropical forests." *Canadian Journal of Botany/Revue Canadienne De Botanique* **75**(12): 21582164.
- Gill FB (1987). "Ecological Fitting: Use of Floral Nectar in *Heliconia stilesii* Daniels by Three Species of Hermit Hummingbirds." *The Condor*, Vol. 89, No. 4, pp. 779787.
- GomezLaurito J, Hammel BE (1994). "New Species in the Acanthaceae of Costa Rica." *Novon*, Vol. 4, No. 4, pp.350361.

- Gomez, E.K., Warkentin, K.M. and Güell, B.A., (2021). "Egg-kicking behaviour by male gliding treefrogs (*Agalychnis spurrelli* Boulenger, 1913) does not dislodge competitors' eggs." *Herpetology Notes*, 14, pp.157-161.
- Grube, M., R. Lucking, et al. (2004). "A new isidiate species of *Arthonia* (Ascomycota: Arthoniaceae) from Costa Rica." *Mycologia* 96(5): 1159-1162.
- Gomez EK, Warkentin KM, Güell BA (2021) Egg-kicking behaviour by male gliding treefrogs (*Agalychnis spurrelli* Boulenger, 1913) does not dislodge competitors' eggs. *Herpetology Notes*, 14, 157-161.
- González K, Warkentin KM, Güell BA (2021) Dehydration-induced mortality and premature hatching in gliding treefrogs with even small reductions in humidity. *Ichthyology and Herpetology*, 109(1), 21-30.
- Güell BA, González K (2019) Mating mayhem. *Frontiers in Ecology and the Environment*, 17(2), 128-128.
- Güell BA, González K, Pedroso-Santos F (2019) Opportunistic predation by two aquatic-feeding predators on an explosive-breeding aggregation of arboreal gliding treefrogs (*Agalychnis spurrelli* Boulenger, 1913; Anura: Phyllomedusidae) on the Osa Peninsula of Costa Rica. *Herpetology Notes*, 12, 795-798.
- Güell BA, Sánchez M, Gallo S, Garro D, Paniagua D, Barrio-Amorós C (2021) Multiple observations of atypical coloration in Central American *Agalychnis* treefrogs (Anura: Phyllomedusidae). *Herpetology Notes*, 14, 151-155.
- Gutierrez, B.L., Almeyda Zambrano, A.M., Almeyda Zambrano, S.L., Quispe Gil, C.A., Bohlman, S., Avellan Arias, E., Mulder, G., Ols, C., Dirzo, R., DeLuycker, A.M. and Lewis, K., (2019). "An island of wildlife in a human-dominated landscape: The last fragment of primary forest on the Osa Peninsula's Golfo Dulce coastline, Costa Rica." *Plos One*, 14(3), p.e0214390.
- Haave-Audet, E., Audet, D., Monge-Velazquez, M., Flatt, E. and Whitworth, A., (2021). "Unexpected Diversity in Regenerating Sites Stresses the Importance of Baselines: A Case Study With Bats (Order Chiroptera) on the Osa Peninsula, Costa Rica." *Tropical Conservation Science*, 14, p.19400829211028118.
- HernandezDivers SM, Aguilar R, LeandroLoria D, Foerster CR (2005). "Health Evaluation of a Radiocollared Population of Free ranging Baird's Tapirs (*Tapirus bairdii*) in Costa Rica." *Journal of Zoo and Wildlife Medicine*: Vol. 36, No. 2, pp. 176-187.
- Janzen DH (1969). "Allelopathy by Myrmecophytes: The Ant Azteca as an Allelopathic Agent of *Cecropia*." *Ecology*, Vol. 50, No. 1, pp. 147-153.

Johnson, S. E. and L. J. Shapiro (1998). "Positional behavior and vertebral morphology in atelines and cebines." *American Journal of Physical Anthropology* **105**(3): 333-354.

Jordal, B. H. (1998). "New species of Scolytodes (Coleoptera: Scolytidae) from Costa Rica and Panama." *Revista De Biología Tropical* **46**(2): 407-419.

Kennedy, H. (1997). "New species of Calathea (Marantaceae) endemic to Costa Rica." *Canadian Journal Of Botany/Revue Canadienne De Botanique* **75**(8): 1356-1362.

Kernan, C. and N. Fowler (1995). "Differential Substrate Use By Epiphytes In Corcovado National Park, Costa Rica A Source Of Guild Structure." *Journal of Ecology* **83**(1):65-73.

Kuever, J., C. Wawer, et al. (1996). "Microbiological observations in the anoxic basin Golfo Dulce, Costa Rica." *Revista De Biología Tropical* **44**: 49-57.

Lahanas PN, Savage JM (1992). "A New Species of Caecilian from the Peninsula de Osa of Costa Rica." *Copeia*, Vol. 1992, No.3, pp. 703-708.

Laidre, M.E. and Vermeij, G.J., (2012). "A biodiverse housing market in hermit crabs: proposal for a new biodiversity index." *UNED Research Journal*, 4(2), pp.175-179.

Lamar, W. W. and M. Sasa (2003). "A new species of hognose pitviper, genus Porthidium, from the southwestern Pacific of Costa Rica (Serpentes: Viperidae)." *Revista De Biología Tropical* **51**(34):797-804.

Leavelle, Karen M., Powell, George V. N., Powell, Luke L., and Forsyth, Adrian. (2015). "A Radio-telemetry Study of Home Range and Habitat Use of the Endangered Yellow-billed Cotinga (*Carpodectes antoniae*) in Costa Rica." *The Wilson Journal of Ornithology*: 127, 2: 302-309.

Liebermanjaffe, S. (1981). "Ecology Of Web Building Spiders At Corcovado National Park, Costa Rica A Preliminary Study." *Studies on Neotropical Fauna and Environment* **16**(2): 99-106.

Li, L., Aguilar, R., & Berkov, A. (2017). "What shapes cerambycid beetle communities in a tropical forest mosaic? Assessing the effects of host tree identity, forest structure, and vertical stratification." *Biotropica*, 49(5), 675-684.

Lobo JA, Quesada M, Stoner, KE (2005). "Effects of pollination by bats on the mating system of *Ceiba pentandra* (Bombacaceae) populations in two tropical life zones in Costa Rica." *American Journal of Botany*, Vol. 92, No. 2, pp. 370– 376.

Lobo, J. A. (1995). "Morphometric, Isozymic and Mitochondrial Variability of Africanized Honeybees in Costa Rica." *Heredity* **75**: 133-141.

Longino, JT (1984). "Shoots, parasitoids, and ants as forces in the population dynamics of *Heliconius hewitsoni* in Costa Rica (extrafloral nectarines)." Dissertation. University of Texas, Austin.

Lugo AE, Farnworth EG, Pool D, et al. (1973). "The Impact of the Leaf-Cutter Ant *Atta colombica* on the Energy Flow of a Tropical West Forest." *Ecology*, Vol. 54, No. 6, pp. 1292 – 1301.

Matlaga, T.J.H., (2018). "Mechanisms underlying the occurrence of species in complex modified tropical landscapes: a case study of amphibians in the Osa Peninsula, Costa Rica." *Journal of Tropical Ecology*, 34(1), pp.32-40.

Mauger, L.A., Velez, E., Cherkiss, M.S., Brien, M.L., Boston, M., Mazzotti, F.J. and Spotila, J.R., (2012). "Population assessment of the American crocodile, *Crocodylus acutus* (Crocodylia: Crocodylidae) on the Pacific coast of Costa Rica." *Revista de Biología Tropical*, 60(4), pp.1889-1901.

May-Collado, L., T. Gerrode, et al. (2005). "Patterns of cetacean sighting distribution in the Pacific Exclusive Economic Zone of Costa Rica based on data collected from 1979-2001." *Revista De Biología Tropical* **53**(12): 249-263.

Mayfield MM, Boni MF, Daily GC, Ackerly D (2005). "Species and functional diversity of native and human-dominated plant communities." *Ecology*: Vol. 86, No. 9 pp.2365–2372.

Mayfield MM (2005). "The Importance of Nearby Forest to Known and Potential Pollinators of Oil Palm (*Elaeis guineensis* Jacq.; Areceaceae) in Southern Costa Rica." *Economic Botany*: Vol. 59, No. 2, pp. 190-196.

Metzler, A. B. and M. M. Campos (1992). "Chemical and Nutritional Composition of the Meat of *Strombus galeatus* (Mesogastropoda, Strombidae)." *Revista De Biología Tropical* **40**(1): 89-93.

O'Neill EM, Mendelson JR (2004). "Taxonomy of Costa Rican Toads Referred to *Bufo melanochlorus* Cope, with the Description of a New Species." *Journal of Herpetology*: Vol. 38, No. 4, pp.487-494.

Lahanas PN, Savage JM (1992). "A New Species of Caecilian from the Peninsula de Osa of Costa Rica." *Copeia*, Vol. 1992, No.3, pp. 703-708.

Lamar, W. W. and M. Sasa (2003). "A new species of hognose pitviper, genus *Porthidium*, from the southwestern Pacific of Costa Rica (Serpentes: Viperidae)." *Revista De Biología Tropical* **51**(34):797-804.

Liebermanjaffe, S. (1981). "Ecology Of Web Building Spiders At Corcovado National Park, Costa Rica A Preliminary Study." *Studies on Neotropical Fauna and Environment* **16**(2): 99-106.

Lobo JA, Quesada M, Stoner, KE (2005). "Effects of pollination by bats on the management system of *Ceiba pentandra* (Bombacaceae) populations in two tropical life zones in Costa Rica." *American Journal of Botany*, Vol. 92, No. 2, pp. 370– 376.

Lobo, J. A. (1995). "Morphometric, Isozymic and Mitochondrial Variability of Africanized Honeybees in Costa Rica." *Heredity* **75**: 133-141.

Longino, JT (1984). "Shoots, parasitoids, and ants as forces in the population dynamics of *Heliconius hewitsoni* in Costa Rica (extrafloral nectarines)." Dissertation. University of Texas, Austin.

Lugo AE, Farnworth EG, Pool D, et. al. (1973). "The Impact of the Leaf Cutter Ant *Atta colombica* on the Energy Flow of a Tropical West Forest." *Ecology*, Vol. 54, No. 6, pp. 1292 – 1301.

MayCollado, L., T. Gerrode e, et al. (2005). "Patterns of cetacean sighting distribution in the Pacific Exclusive Economic Zone of Costa Rica based on data collected from 1979-2001." *Revista De Biología Tropical* **53**(12): 249-263.

Mayfield MM, Boni MF, Daily GC, Ackerly D (2005). "Species and functional diversity of native and human-dominated plant communities." *Ecology*: Vol. 86, No. 9 pp.2365–2372.

Mayfield MM (2005). "The Importance of Nearby Forest to Known and Potential Pollinators of Oil Palm (*Elaeis guineensis* Jacq.; Areceaceae) in Southern Costa Rica." *Economic Botany*: Vol. 59, No. 2, pp. 190-196.

Metzler, A. B. and M. M. Campos (1992). "Chemical and Nutritional Composition of the Meat of *Strombus galeatus* (Mesogastropoda, Strombidae)." *Revista De Biología Tropical* **40**(1): 89-93.

O'Neill EM, Mendelson JR (2004). "Taxonomy of Costa Rican Toads Referred to *Bufo melanochlorus* Cope, with the Description of a New Species." *Journal of Herpetology*: Vol. 38, No. 4, pp.487-494.

Reyna-Hurtado, R., Radachowsky, J., McLaughlin, L., Thornton, D., Moreira-Ramirez, J.F., Garcia-Anleu, R., Ponce-Santizo, G., McNab, R., Diaz-Santos, F., Elvir, F. and Portillo-Reyes, H.O., (2017). "White-lipped peccary in Mesoamerica: status, threats and conservation actions." *Suiform Soundings*, 15(2), pp.31-35.

Schank, C. J., Cove, M. V., Kelly, M. J., Mendoza, E., O'Farrill, G., Reyna-Hurtado, R., and R Moreno. (2017). "Using a novel model approach to assess the distribution and conservation status of the endangered Baird's tapir." *Diversity and Distributions*.

Smith, C., Whitworth, A., Brunner, E. and Pomilia, M., (2020). "Habitat selection and diet of the Neotropical otter (*Lontra longicaudis*) on the Osa Peninsula, Costa Rica, and range-wide monitoring recommendations." *Neotropical Biodiversity*, 6(1), pp.62-74.

Soper, F.M., Sullivan, B.W., Osborne, B.B., Shaw, A.N., Philippot, L. and Cleveland, C.C., (2019). "Leaf-cutter ants engineer large nitrous oxide hot spots in tropical forests." *Proceedings of the Royal Society B*, 286(1894), p.20182504.

Summers, K (2000). "Mating and aggressive behaviour in dendrobatid frogs from Corcovado National Park, Costa Rica: A comparative study." *Behaviour*: Vol. 137, No. 1, pp. 724.

Taylor OR (1973). "A NonGenetic "Polymorphism" in *Anartia fatima* (Lepidoptera: Nymphalidae)." *Evolution*, Vol. 27, No. 1, pp. 161164.

Trott, TJ (1988). "Note on the foraging activities of the painted ghost crab *Ocypode gaudichaudii* H. Milne Edwards and Lucas in Costa Rica (Decapoda, Brachyura)." *Crustaceana*: Vol. 55, No. 2, pp. 217219.

Whitworth, A., Beirne, C., Flatt, E., Froese, G., Nuñez, C. and Forsyth, A., (2021). "Recovery of dung beetle biodiversity and traits in a regenerating rainforest: a case study from Costa Rica's Osa Peninsula." *Insect Conservation and Diversity*, 14(4), pp.439-454.

Whitworth, A., Beirne, C., Flatt, E., Pillco Huarcaya, R., Cruz Diaz, J.C., Forsyth, A., Molnár, P.K. and Vargas Soto, J.S., (2018). "Secondary forest is utilized by Great Curassows (*Crax rubra*) and Great Tinamous (*Tinamus major*) in the absence of hunting." *The Condor: Ornithological Applications*, 120(4), pp.852-862.

Whitworth, A., Beirne, C., Pillco Huarcaya, R., Whittaker, L., Serrano Rojas, S.J., Tobler, M.W. and MacLeod, R., (2019). "Human disturbance impacts on rainforest mammals are most notable in the canopy, especially for larger-bodied species." *Diversity and Distributions*, 25(7), pp.1166-1178.

Whitworth A, Pillco Huarcaya R, Gonzalez Mercado H, Dominie Brauholtz L and Ross MacLeod. (2018). "Food for thought. Rainforest carrion-feeding butterflies are more sensitive indicators of disturbance history than fruit feeders." *Biological Conservation*, 217: 383-390.

Whitworth A., Whittaker L., Pillco Huarcaya R., Flatt E., Lopez Morales M., Connor D., Garrido Priego M., Forsyth A., and Beirne C. (2019). "Spider Monkeys Rule the Roost: Ateline Sleeping Sites Influence Rainforest Heterogeneity." *Animals*, 9(12), 1052.

Wilson, S., Collister, D.M. and Wilson, A.G., (2011). "Community composition and annual survival of lowland tropical forest birds on the Osa Peninsula, Costa Rica." *Ornitologia Neotropical*, 22, pp.421-436.

Management of Protected Areas

Ankersen TT, Regan KE, Mack SA (2006). "Towards a bioregional approach to tropical forest conservation: Costa Rica's Greater Osa Bioregion." *Futures*: Vol. 38, No. 4, pp. 406–431.

Brockett CD, Gottfried RR (2002). "State Policies and the Preservation of Forest Cover: Lessons from Contrasting Public Policy Regimes in Costa Rica." *Latin American Research Review*, Vol. 37, No.1, pp. 740.

Carrillo E, Wong G, Puaron AD (2000). "Monitoring Mammal Populations in Costa Rican Protected Areas under Different Hunting Restrictions." *Conservation Biology* Vol.14 No. 6, p. 158091.

Christen CA. "Tropical Field Ecology and Conservation Initiatives on the Osa Peninsula." Dept of History, Johns Hopkins University.

Flatt, E., Basto, A., Pinto, C., Ortiz, J., Navarro, K., Reed, N., Brumberg, H.,

Chaverri, M.H. and Whitworth, A., (2022). "Arboreal wildlife bridges in the tropical rainforest of Costa Rica's Osa Peninsula." *Folia Primatologica*, 93(3-6), pp.419-435.

Hunt, C.A., Durham, W.H., Driscoll, L. and Honey, M., (2015). "Can ecotourism deliver real economic, social, and environmental benefits? A study of the Osa Peninsula, Costa Rica." *Journal of Sustainable Tourism*, 23(3), pp.339-357.

JimenezElizondo A (2004). "The politics of participation in a biodiversity conservation project: Analysis of a biological corridor project in Osa Peninsula, Costa Rica." Dissertation. Michigan State University.

Lopez Gutierrez, B., Almeyda Zambrano, A.M., Mulder, G., Ols, C., Dirzo, R., Almeyda Zambrano, S.L., Quispe Gil, C.A., Cruz Díaz, J.C., Alvarez, D., Valdelomar Leon, V. and Villareal, E., (2020). "Ecotourism: the 'human shield' for wildlife conservation in the Osa Peninsula, Costa Rica." *Journal of Ecotourism*, 19(3), pp.197-216.

Royo Aspa A (2003). "La reforma agraria en Costa Rica, 1962-2002 balance de las intervenciones estatales en el cantón de Osa." *Revista de Historia (Costa Rica)*, Issue 48, pp. 227-269.

Silva, A. M. and N. N. Carrillo (2004). "The Purrufo mangrove (Golfito, Costa Rica): A model for its management." *Revista De Biología Tropical* **52**: 195-201.

Sustainable Development in the Osa

Christen CA (1995). "Development and conservation on Costa Rica's Osa Peninsula, 1937-1977: A regional case study of historical land use policy and practice in a small neotropical country." Dissertation. The Johns Hopkins University.

Cuello Nieto CA (1997). "Sustainable development in theory and practice: A Costa Rican case study." Dissertation. University of Delaware.

Driscoll, L., Hunt, C., Honey, M. and Durham, W., (2011). "The importance of ecotourism as a development and conservation tool in the Osa Peninsula, Costa Rica." Center for Responsible Travel (CREST).

Gottfried RR, Brockett CD, Davis WC (1994). "Models of sustainable development and forest resource management in Costa Rica". *Ecological Economics*: Vol. 9, No. 2, pp. 107 – 120.

Howard AF (1993). "A linear programming model for predicting the sustainable yield of timber from a community forest on the *Osa Peninsula* of Costa Rica." *Forest Ecology and Management*: Vol. 61, No. 12, pp. 29-43.

Stem, C. J. (2001). The role of local development in protected area management: a comparative case study of Ecotourism in Costa Rica, Cornell University. **PhD**: 468.

Stem, C. J., J. P. Lassoie, et al. (2003). "Community participation in ecotourism benefits: The link to conservation practices and perspectives." *Society & Natural Resources* **16**(5): 387-413.